



KPAB

drop-out plate

Drop-out plate for wide-span cable ladders.

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	R	t	G
KPAB 20-HDG	129 mm	190 mm	110 mm	100 mm	1,5 mm	0,52 kg
incl.: 2x FKS 6X10-304 2x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 30-HDG	129 mm	290 mm	110 mm	100 mm	1,5 mm	0,78 kg
incl.: 2x FKS 6X10-304 2x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 40-HDG	129 mm	390 mm	110 mm	100 mm	1,5 mm	1,04 kg
incl.: 2x FKS 6X10-304 2x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 45-HDG	129 mm	440 mm	110 mm	100 mm	1,5 mm	1,18 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 50-HDG	129 mm	490 mm	110 mm	100 mm	1,5 mm	1,31 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 60-HDG	129 mm	590 mm	110 mm	100 mm	1,5 mm	1,57 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						





Product	H	B	L	R	t	G
KPAB 70-HDG	129 mm	690 mm	110 mm	100 mm	1,5 mm	1,83 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316 slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 75-HDG	129 mm	740 mm	110 mm	100 mm	1,5 mm	1,96 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316 slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 80-HDG	129 mm	790 mm	110 mm	100 mm	1,5 mm	2,08 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316 slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 90-HDG	129 mm	890 mm	110 mm	100 mm	1,5 mm	2,36 kg
incl.: 4x AM18 M6-316 2x FKS 6X10-304 channel nut, A7/A8 slotted cylinder head screw, DIN EN ISO 1580						
KPAB 100-HDG	129 mm	990 mm	110 mm	100 mm	1,5 mm	2,62 kg
incl.: 2x FKS 6X10-304 4x AM18 M6-316 slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	R	t	G
KPAB 20-304	129 mm	190 mm	110 mm	100 mm	1,5 mm	0,49 kg
incl.: 2x FKS 6X10-304 2x AM18 M6-316 slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 30-304	129 mm	290 mm	110 mm	100 mm	1,5 mm	0,74 kg
incl.: 2x FKS 6X10-304 2x AM18 M6-316 slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 40-304	129 mm	390 mm	110 mm	100 mm	1,5 mm	0,98 kg
incl.: 2x FKS 6X10-304 2x AM18 M6-316 slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 45-304	129 mm	440 mm	110 mm	100 mm	1,5 mm	1,12 kg





Product	H	B	L	R	t	G
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 50-304	129 mm	490 mm	110 mm	100 mm	1,5 mm	1,24 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 60-304	129 mm	590 mm	110 mm	100 mm	1,5 mm	1,48 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 70-304	129 mm	690 mm	110 mm	100 mm	1,5 mm	1,72 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 75-304	129 mm	740 mm	110 mm	100 mm	1,5 mm	1,84 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 80-304	129 mm	790 mm	110 mm	100 mm	1,5 mm	1,96 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 90-304	129 mm	890 mm	110 mm	100 mm	1,5 mm	2,22 kg
incl.: 2x FKS 6X10-304 4x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 100-304	129 mm	990 mm	110 mm	100 mm	1,5 mm	2,47 kg
incl.: 2x FKS 6X10-304 4x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						

Stainless steel, according to ASTM 31 Ti / AISI 316 L, BS 320S17 / BS 316S11

Product	H	B	L	R	t	G
KPAB 20-316	129 mm	190 mm	110 mm	100 mm	1,5 mm	0,50 kg





Product	H	B	L	R	t	G
incl.: 2x FKS 6X10-304 2x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 30-316	129 mm	290 mm	110 mm	100 mm	1,5 mm	0,74 kg
incl.: 2x FKS 6X10-304 2x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 40-316	129 mm	390 mm	110 mm	100 mm	1,5 mm	0,99 kg
incl.: 2x FKS 6X10-304 2x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 45-316	129 mm	440 mm	110 mm	100 mm	1,5 mm	1,13 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 50-316	129 mm	490 mm	110 mm	100 mm	1,5 mm	1,25 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 60-316	129 mm	590 mm	110 mm	100 mm	1,5 mm	1,50 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 70-316	129 mm	690 mm	110 mm	100 mm	1,5 mm	1,74 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 75-316	129 mm	740 mm	110 mm	100 mm	1,5 mm	1,87 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 80-316	129 mm	790 mm	110 mm	100 mm	1,5 mm	1,99 kg
incl.: 2x FKS 6X10-304 3x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 90-316	129 mm	890 mm	110 mm	100 mm	1,5 mm	2,25 kg
incl.: 2x FKS 6X10-304 4x AM18 M6-316						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8						
KPAB 100-316	129 mm	990 mm	110 mm	100 mm	1,5 mm	2,49 kg



Product	H	B	L	R	t	G
incl.: 2x FKS 6X10-304 4x AM18 M6-316						slotted cylinder head screw, DIN EN ISO 1580 channel nut, A7/A8

H: height
B: width
L: length
R: radius
t: material thickness
G: weight

DETAILS / APPLICATIONS

