



## LGKAB

cable ladder drop-out plate

Drop-out plate for cable ladders.

### Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	L	R	t	G
LGKAB 20S	129 mm	140 mm	110 mm	100 mm	1,5 mm	0,36 kg
incl.: 2x FKS 6X10 2x AM16 M6F						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 30S	129 mm	240 mm	110 mm	100 mm	1,5 mm	0,60 kg
incl.: 2x FKS 6X10 2x AM16 M6F						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 40S	129 mm	340 mm	110 mm	100 mm	1,5 mm	0,83 kg
incl.: 2x FKS 6X10 2x AM16 M6F						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 50S	129 mm	440 mm	110 mm	100 mm	1,5 mm	1,09 kg
incl.: 3x FKS 6X10 3x AM16 M6F						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 60S	129 mm	540 mm	110 mm	100 mm	1,5 mm	1,32 kg
incl.: 3x FKS 6X10 3x AM16 M6F						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						

### Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)





Product	H	B	L	R	t	G
LGKAB 20F	129 mm	140 mm	110 mm	100 mm	1,5 mm	0,39 kg
incl.: 2x FKS 6X10E 2x AM16 M6E4 slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 30F	129 mm	240 mm	110 mm	100 mm	1,5 mm	0,64 kg
incl.: 2x FKS 6X10E 2x AM16 M6E4 slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 40F	129 mm	340 mm	110 mm	100 mm	1,5 mm	0,90 kg
incl.: 2x FKS 6X10E 2x AM16 M6E4 slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 50F	129 mm	440 mm	110 mm	100 mm	1,5 mm	1,16 kg
incl.: 2x FKS 6X10E 3x AM16 M6E4 slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 60F	129 mm	540 mm	110 mm	100 mm	1,5 mm	1,41 kg
incl.: 2x FKS 6X10E 3x AM16 M6E4 slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						

## Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	R	t	G
LGKAB 20E	129 mm	140 mm	110 mm	100 mm	1,5 mm	0,37 kg
incl.: 2x FKS 6X10E 2x AM16 M6E4 slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 30E	129 mm	240 mm	110 mm	100 mm	1,5 mm	0,61 kg
incl.: 2x FKS 6X10E 2x AM16 M6E4 slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 40E	129 mm	340 mm	110 mm	100 mm	1,5 mm	0,85 kg
incl.: 2x FKS 6X10E 2x AM16 M6E4 slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 50E	129 mm	440 mm	110 mm	100 mm	1,5 mm	1,10 kg



Product	H	B	L	R	t	G
incl.: 3x FKS 6X10E 3x AM16 M6E4						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						
LGKAB 60E	129 mm	540 mm	110 mm	100 mm	1,5 mm	1,34 kg
incl.: 3x FKS 6X10E 3x AM16 M6E4						
slotted cylinder head screw, DIN EN ISO 1580 channel nut, B7						

**H:** height  
**B:** width  
**L:** length  
**R:** radius  
**t:** material thickness  
**G:** weight

## DETAILS / APPLICATIONS

