

## RVB 60

cable tray vertical bend, height = 60 mm

cable tray vertical bend for flexible vertical change of direction

This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



### Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	R	G
RVB 60-10S	60 mm	100 mm	300 mm	2 kg
incl.: 2x KLR	clamp fastening set			
RVB 60-20S	60 mm	200 mm	300 mm	2,5 kg
incl.: 2x KLR	clamp fastening set			
RVB 60-30S	60 mm	300 mm	300 mm	3 kg
incl.: 2x KLR	clamp fastening set			
RVB 60-40S	60 mm	400 mm	300 mm	3,5 kg
incl.: 2x KLR	clamp fastening set			
RVB 60-50S	60 mm	500 mm	300 mm	4 kg
incl.: 2x KLR	clamp fastening set			
RVB 60-60S	60 mm	600 mm	300 mm	4,5 kg
incl.: 2x KLR	clamp fastening set			

### Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)






Product	H	B	R	G
RVB 60-10F	60 mm	100 mm	300 mm	2,1 kg
incl.: 2x KLR E clamp fastening set				
RVB 60-20F	60 mm	200 mm	300 mm	2,7 kg
incl.: 2x KLR E clamp fastening set				
RVB 60-30F	60 mm	300 mm	300 mm	3,2 kg
incl.: 2x KLR E clamp fastening set				
RVB 60-40F	60 mm	400 mm	300 mm	3,8 kg
incl.: 2x KLR E clamp fastening set				
RVB 60-50F	60 mm	500 mm	300 mm	4,3 kg
incl.: 2x KLR E clamp fastening set				
RVB 60-60F	60 mm	600 mm	300 mm	4,8 kg
incl.: 2x KLR E clamp fastening set				

**H:** height  
**B:** width  
**R:** radius  
**G:** weight

## DETAILS / APPLICATIONS





## OPTIONAL ACCESSORIES

REB



UL classified

