

## WP 150

wide-span cable ladder, height = 150 mm

Wide-span cable ladder, additional transverse rigidity due to welded rungs, rungs made of profile rail perforated. Electrical conductivity tested according to DIN EN 61537.

Welded construction.



Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	G
WP15-20-HDG	150 mm	200 mm	6000 mm	42,42 kg
WP15-30-HDG	150 mm	300 mm	6000 mm	42,84 kg
WP15-40-HDG	150 mm	400 mm	6000 mm	45,21 kg
WP15-45-HDG	150 mm	450 mm	6000 mm	46,40 kg
WP15-50-HDG	150 mm	500 mm	6000 mm	47,60 kg
WP15-60-HDG	150 mm	600 mm	6000 mm	49,99 kg
WP15-70-HDG	150 mm	700 mm	6000 mm	52,38 kg
WP15-75-HDG	150 mm	750 mm	6000 mm	53,58 kg
WP15-80-HDG	150 mm	800 mm	6000 mm	54,78 kg
WP15-90-HDG	150 mm	900 mm	6000 mm	57,17 kg
WP15-100-HDG	150 mm	1000 mm	6000 mm	59,56 kg

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	G
WP15-20-304	150 mm	200 mm	6000 mm	42,42 kg
WP15-30-304	150 mm	300 mm	6000 mm	42,84 kg
WP15-40-304	150 mm	400 mm	6000 mm	45,21 kg
WP15-45-304	150 mm	450 mm	6000 mm	46,40 kg
WP15-50-304	150 mm	500 mm	6000 mm	47,60 kg





Product	H	B	L	G
WP15-60-304	150 mm	600 mm	6000 mm	49,99 kg
WP15-70-304	150 mm	700 mm	6000 mm	52,38 kg
WP15-75-304	150 mm	750 mm	6000 mm	53,58 kg
WP15-80-304	150 mm	800 mm	6000 mm	54,78 kg
WP15-90-304	150 mm	900 mm	6000 mm	57,17 kg
WP15-100-304	150 mm	1000 mm	6000 mm	59,56 kg



**Stainless steel, according to ASTM 31 Ti / AISI 316 L, BS 320S17 / BS 316S11**

Product	H	B	L	G
WP15-20-316	150 mm	200 mm	6000 mm	42,42 kg
WP15-30-316	150 mm	300 mm	6000 mm	42,84 kg
WP15-40-316	150 mm	400 mm	6000 mm	45,21 kg
WP15-45-316	150 mm	450 mm	6000 mm	46,40 kg
WP15-50-316	150 mm	500 mm	6000 mm	47,60 kg
WP15-60-316	150 mm	600 mm	6000 mm	49,99 kg
WP15-70-316	150 mm	700 mm	6000 mm	52,38 kg
WP15-75-316	150 mm	750 mm	6000 mm	53,58 kg
WP15-80-316	150 mm	800 mm	6000 mm	54,78 kg
WP15-90-316	150 mm	900 mm	6000 mm	57,17 kg
WP15-100-316	150 mm	1000 mm	6000 mm	59,56 kg

**H:** height  
**B:** width  
**L:** length  
**G:** weight

## DETAILS / APPLICATIONS





## OPTIONAL ACCESSORIES

WPHB 150, WPCHV 150, WPIR 150, WPOR 150, WPTP 150, WPBP 150, WPCP 150, WPS 150, KPAB, WPC 150, WPCH 150, WPCV 150, WPF-B, WPF-C, WPF-P, WPF-IS



Do not walk upon!

