




## WPTP 150

wide-span branch, height = 150 mm

wide-span cable ladder branch shaped form as T-piece with integrated connectors

Welded construction. Formed components must be supported at all sides. Dissymmetric branches on request.

Branches with higher width/ radius are delivered as two pieces including coupling bolts. The following radii are available on request: 300 mm, 600 mm, 900 mm.

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

| Product                     | H      | B                   | R      | G        |
|-----------------------------|--------|---------------------|--------|----------|
| WPTP15-20-45-HDG            | 150 mm | 200 mm              | 450 mm | 15,78 kg |
| incl.:<br>12x KLS 10X20-HDG |        | clamp fastening set |        |          |
| WPTP15-30-45-HDG            | 150 mm | 300 mm              | 450 mm | 17,68 kg |
| incl.:<br>12x KLS 10X20-HDG |        | clamp fastening set |        |          |
| WPTP15-40-45-HDG            | 150 mm | 400 mm              | 450 mm | 19,32 kg |
| incl.:<br>12x KLS 10X20-HDG |        | clamp fastening set |        |          |
| WPTP15-45-45-HDG            | 150 mm | 450 mm              | 450 mm | 20,10 kg |
| incl.:<br>12x KLS 10X20-HDG |        | clamp fastening set |        |          |
| WPTP15-50-45-HDG            | 150 mm | 500 mm              | 450 mm | 20,96 kg |
| incl.:<br>12x KLS 10X20-HDG |        | clamp fastening set |        |          |
| WPTP15-60-45-HDG            | 150 mm | 600 mm              | 450 mm | 23,49 kg |
| incl.:<br>12x KLS 10X20-HDG |        | clamp fastening set |        |          |
| WPTP15-70-45-HDG            | 150 mm | 700 mm              | 450 mm | 31,80 kg |
| incl.:<br>12x KLS 10X20-HDG |        | clamp fastening set |        |          |
| WPTP15-75-45-HDG            | 150 mm | 750 mm              | 450 mm | 32,70 kg |



# PRODUCT INFORMATION

| Product                     | H      | B       | R      | G        |
|-----------------------------|--------|---------|--------|----------|
| incl.:<br>12x KLS 10X20-HDG |        |         |        |          |
| clamp fastening set         |        |         |        |          |
| WPTP15-80-45-HDG            | 150 mm | 800 mm  | 450 mm | 33,60 kg |
| incl.:<br>12x KLS 10X20-HDG |        |         |        |          |
| clamp fastening set         |        |         |        |          |
| WPTP15-90-45-HDG            | 150 mm | 900 mm  | 450 mm | 37,00 kg |
| incl.:<br>12x KLS 10X20-HDG |        |         |        |          |
| clamp fastening set         |        |         |        |          |
| WPTP15-100-45-HDG           | 150 mm | 1000 mm | 450 mm | 39,10 kg |
| incl.:<br>12x KLS 10X20-HDG |        |         |        |          |
| clamp fastening set         |        |         |        |          |

## Stainless steel, according to ASTM 304 / BS 304 S 3

| Product                     | H      | B      | R      | G        |
|-----------------------------|--------|--------|--------|----------|
| WPTP15-20-45-304            | 150 mm | 200 mm | 450 mm | 15,78 kg |
| incl.:<br>12x KLS 10X20-304 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-30-45-304            | 150 mm | 300 mm | 450 mm | 17,68 kg |
| incl.:<br>12x KLS 10X20-304 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-40-45-304            | 150 mm | 400 mm | 450 mm | 19,32 kg |
| incl.:<br>12x KLS 10X20-304 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-45-45-304            | 150 mm | 450 mm | 450 mm | 20,10 kg |
| incl.:<br>12x KLS 10X20-304 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-50-45-304            | 150 mm | 500 mm | 450 mm | 20,96 kg |
| incl.:<br>12x KLS 10X20-304 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-60-45-304            | 150 mm | 600 mm | 450 mm | 23,49 kg |
| incl.:<br>12x KLS 10X20-304 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-70-45-304            | 150 mm | 700 mm | 450 mm | 28,27 kg |



# PRODUCT INFORMATION

| Product                     | H      | B       | R      | G        |
|-----------------------------|--------|---------|--------|----------|
| incl.:<br>12x KLS 10X20-304 |        |         |        |          |
| clamp fastening set         |        |         |        |          |
| WPTP15-75-45-304            | 150 mm | 750 mm  | 450 mm | 29,05 kg |
| incl.:<br>12x KLS 10X20-304 |        |         |        |          |
| clamp fastening set         |        |         |        |          |
| WPTP15-80-45-304            | 150 mm | 800 mm  | 450 mm | 29,82 kg |
| incl.:<br>12x KLS 10X20-304 |        |         |        |          |
| clamp fastening set         |        |         |        |          |
| WPTP15-90-45-304            | 150 mm | 900 mm  | 450 mm | 32,36 kg |
| incl.:<br>12x KLS 10X20-304 |        |         |        |          |
| clamp fastening set         |        |         |        |          |
| WPTP15-100-45-304           | 150 mm | 1000 mm | 450 mm | 34,02 kg |
| incl.:<br>12x KLS 10X20-304 |        |         |        |          |
| clamp fastening set         |        |         |        |          |

Stainless steel, according to ASTM 31 Ti / AISI 316 L, BS 320S17 / BS 316S11

| Product                     | H      | B      | R      | G        |
|-----------------------------|--------|--------|--------|----------|
| WPTP15-20-45-316            | 150 mm | 200 mm | 450 mm | 15,78 kg |
| incl.:<br>12x KLS 10X20-316 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-30-45-316            | 150 mm | 300 mm | 450 mm | 17,68 kg |
| incl.:<br>12x KLS 10X20-316 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-40-45-316            | 150 mm | 400 mm | 450 mm | 19,32 kg |
| incl.:<br>12x KLS 10X20-316 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-45-45-316            | 150 mm | 450 mm | 450 mm | 20,10 kg |
| incl.:<br>12x KLS 10X20-316 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-50-45-316            | 150 mm | 500 mm | 450 mm | 20,96 kg |
| incl.:<br>12x KLS 10X20-316 |        |        |        |          |
| clamp fastening set         |        |        |        |          |
| WPTP15-60-45-316            | 150 mm | 600 mm | 450 mm | 23,49 kg |

Page 3



# PRODUCT INFORMATION

| Product                     | H      | B       | R      | G                   |
|-----------------------------|--------|---------|--------|---------------------|
| incl.:<br>12x KLS 10X20-316 |        |         |        | clamp fastening set |
| WPTP15-70-45-316            | 150 mm | 700 mm  | 450 mm | 28,27 kg            |
| incl.:<br>12x KLS 10X20-316 |        |         |        | clamp fastening set |
| WPTP15-75-45-316            | 150 mm | 750 mm  | 450 mm | 29,05 kg            |
| incl.:<br>12x KLS 10X20-316 |        |         |        | clamp fastening set |
| WPTP15-80-45-316            | 150 mm | 800 mm  | 450 mm | 29,82 kg            |
| incl.:<br>12x KLS 10X20-316 |        |         |        | clamp fastening set |
| WPTP15-90-45-316            | 150 mm | 900 mm  | 450 mm | 32,36 kg            |
| incl.:<br>12x KLS 10X20-316 |        |         |        | clamp fastening set |
| WPTP15-100-45-316           | 150 mm | 1000 mm | 450 mm | 34,02 kg            |
| incl.:<br>12x KLS 10X20-316 |        |         |        | clamp fastening set |

**H:** height  
**B:** width  
**R:** radius  
**G:** weight

## DETAILS / APPLICATIONS

