Line of protection tubes

Line of protection tubes J03-J09

Numeric index
Line of protection tubes

S

SR protection tube I03
SRB 45 tube bow I04
SRB 90 tube bow I03
SRF floor fastening system I08
SRFW base bracket I08
SRHB protection tube bracket I05
SRHD protection tube bracket, pivoted I05
SRK-G end cap I09
SRK-O final sleeve as edge protective strip I08
SRL protection tube, slotted I03
SRM clamp socket I04
SRML elongated slot socket I04
SRMP-A assembly plate, 165x175 mm I07
SRMP-B assembly plate, 175x260 mm I07
SRMP-C assembly plate, 270x380 mm I07
SRS-A support clamp I06
SRS-B tube bar clamp I06
SRS-R tube clamp I06
SRS-W dual fastening clamp I06

SR protection tube, length=6000 mm

For an application example, see the chapter assembly.

article number	D mm	L mm	t mm	G kg
F				
SR 30F	30	6000	1,5	6,65
SR 60F	60	6000	2,0	17,40
E				
SR 30E	30	6000	1,5	6,65
SR 60E	60	6000	2,0	17,40



SRL protection tube, slotted, length=6000 mm

For an application example, see the chapter assembly.

article number	D mm	L mm	t mm	G kg
F				
SRL 60F	60	6000	2	16,30
E				
SRL 60E	60	6000	2	16,30



SRB 90 tube bow

For an application example, see the chapter assembly.

article number	H mm	B mm	D mm	R mm	t mm	G kg
F						
SRB 90-30F	185	100	30	140	1,5	0,40
SRB 90-60F	225	100	60	150	2,0	1,30
E						
SRB 90-30E	185	100	30	140	1,5	0,40
SRB 90-60E	225	100	60	150	2,0	1,30



SRB 45 tube bow

For an application example, see the chapter assembly.

article number	H mm	B mm	D mm	R mm	t mm	G kg
F						
SRB 45-30F	270	100	30	140	1,5	0,30
SRB 45-60F	350	100	60	150	2,0	1,05
E						
SRB 45-30E	270	100	30	140	1,5	0,30
SRB 45-60E	350	100	60	150	2,0	1,05



SRM clamp socket

For an application example, see the chapter assembly.

article number	H mm	D mm	t mm	G kg
F				
SRM 30F	80	30	1,5	0,15
SRM 60F	115	60	2,5	0,55
E				
SRM 30E	80	30	1,5	0,15
SRM 60E	115	60	2,5	0,55



SRML elongated slot socket

For an application example, see the chapter assembly.

article number	H mm	D mm	t mm	G kg
F				
SRML 30F	130	30	1,5	0,20
SRML 60F	180	60	2,5	1,05
E				
SRML 30E	130	30	1,5	0,20
SRML 60E	180	60	2,5	1,05



SRHD protection tube bracket, pivoted

For an application example, see the chapter assembly.

article number	H mm	B mm	D mm	L mm	t mm	G kg
F						
SRHD 30F	62	1,5	30	80	1,5	0,70
SRHD 60F	102	1,5	60	115	2,0	1,20
E						
SRHD 30E	62	1,5	30	80	1,5	0,70
SRHD 60E	102	1,5	60	115	2,0	1,20



SRHB protection tube bracket

For an application example, see the chapter assembly.

article number	D mm	t mm	G kg
F			
SRHB 30F	31	6	0,52
SRHB 60F	61	10	0,62
E			
SRHB 30E	31	6	0,52
SRHB 60E	61	8	0,62



SRS-R tube clamp

For an application example, see the chapter assembly.

article number	B mm	D mm	L mm	t mm	G kg
F					
SRS-R 30F	25	31	85	2,5	0,06
SRS-R 60F	30	61	160	4,0	0,22
E					
SRS-R 30E	25	31	85	2,5	0,06
SRS-R 60E	30	61	160	4,0	0,22



SRS-B tube bar clamp

For an application example, see the chapter assembly.

article number	D mm	t mm	G kg
F			
SRS-B 30-6F	31	6	0,03
SRS-B 60-10F	61	10	0,22
E			
SRS-B 30-6E	31	6	0,03
SRS-B 60-8E	61	8	0,22



SRS-A support clamp

For an application example, see the chapter assembly.

article number	D mm	L mm	t mm	G kg
F				
SRS-A 30F	30	70	1,5	0,06
SRS-A 60F	60	70	1,5	0,08
E				
SRS-A 30E	30	70	1,5	0,06
SRS-A 60E	60	70	1,5	0,08



SRS-W dual fastening clamp

For an application example, see the chapter assembly.

article number	D mm	t mm	G kg
F			
SRS-W 30F	31	4	0,21
SRS-W 60F	61	4	0,31
E			
SRS-W 30E	31	4	0,21
SRS-W 60E	61	4	0,31



SRMP-A assembly plate, 165x175 mm

other dimensions on request
For an application example, see the chapter assembly.

article number	H mm	B mm	D mm	t mm	G kg
F					
SRMP-A 30F	175	165	30	3	0,58
SRMP-A 60F	175	165	60	3	0,60
E					
SRMP-A 30E	175	165	30	3	0,58
SRMP-A 60E	175	165	60	3	0,60



SRMP-B assembly plate, 175x260 mm

other dimensions on request
For an application example, see the chapter assembly.

article number	H mm	B mm	D mm	t mm	G kg
F					
SRMP-B 30F	260	175	30	3	1,00
SRMP-B 60F	260	175	60	3	1,00
E					
SRMP-B 30E	260	175	30	3	1,00
SRMP-B 60E	260	175	60	3	1,00



SRMP-C assembly plate, 270x380 mm

other dimensions on request
For an application example, see the chapter assembly.

article number	H mm	B mm	D mm	t mm	G kg
F					
SRMP-C 60F	380	270	60	3	2,70
E					
SRMP-C 60E	380	270	60	3	2,70



SRF floor fastening system

For an application example, see the chapter assembly.

article number	H mm	B mm	D mm	L mm	t mm	G kg
F						
SRF 30F	130	40	31	130	1,5	0,28
SRF 60F	230	80	61	220	2,5	1,75
E						
SRF 30E	130	40	31	130	1,5	0,28
SRF 60E	230	80	61	220	2,5	1,75



SRFW base bracket

For an application example, see the chapter assembly.

article number	H mm	B mm	L mm	t mm	G kg
F					
SRFW 30F	100	60	200	2	0,52
SRFW 60F	200	100	400	3	1,95
E					
SRFW 30E	100	60	200	2	0,52
SRFW 60E	200	100	400	3	1,95



SRK-O final sleeve as edge protective strip

article number	D mm	L mm	t mm	G kg
PVC				
SRK-O 30	30	25	2	0,01
SRK-O 60	60	25	2	0,02



SRK-G end cap

article number	D mm	L mm	t mm	G kg
PVC				
SRK-G 30	30	30	2	0,01
SRK-G 60	60	35	2	0,02